

NEOS FOAM WAX

Issued on 10/28/2019 - Rel. # 1 on 10/28/2019

1 / 11

In conformity to Regulation (EU) 2015/830

SECTION1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name : NEOS FOAM WAX
 Trades code : 012A291075

1.2. Relevant identified uses of the substance or mixture and uses advised against

Self-drying wax for Carwash
 Sectors of use:
 Professional use[SU22]

Uses advised against
 Do not use for purposes other than those listed

1.3. Details of the supplier of the safety data sheet

Allegrini S.p.A.
 Vicolo Salvo d'Acquisto, 2
 24050 Grassobbio (BG) Italy
 Tel. +39 035 4242111
 e-mail: msds@allegrini.com

1.4. Emergency telephone number

Allegrini SpA: Tel. +39 035 4242111 Mon. - Fri. 8.00 - 17.00 GMT +1

SECTION2. Hazards identification

2.1. Classification of the substance or mixture

2.1.1 Classification according to Regulation (EC) No 1272/2008:

Pictograms:
 GHS05, GHS07, GHS09

Hazard Class and Category Code(s):
 Skin Irrit. 2, Skin Sens. 1B, Eye Dam. 1, Aquatic Chronic 2

Hazard statement Code(s):
 H315 - Causes skin irritation.
 H317 - May cause an allergic skin reaction.
 H318 - Causes serious eye damage.
 H411 - Toxic to aquatic life with long lasting effects.

If brought into contact with the skin, the product causes significant inflammation with erythema, scabs, or edema.
 The product, if brought into contact with skin can cause skin sensitization.
 If brought into contact with eyes, the product causes serious damages to eyes, such as an opaque cornea or injury to iris.
 The product is dangerous to the environment as it is toxic to aquatic life with long lasting effects

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008:

Pictogram, Signal Word Code(s):
 GHS05, GHS07, GHS09 - Danger

Hazard statement Code(s):



NEOS FOAM WAX

Issued on 10/28/2019 - Rel. # 1 on 10/28/2019

2 / 11

In conformity to Regulation (EU) 2015/830

H315 - Causes skin irritation.
 H317 - May cause an allergic skin reaction.
 H318 - Causes serious eye damage.
 H411 - Toxic to aquatic life with long lasting effects.

Supplemental Hazard statement Code(s):
 unavailable

Precautionary statements:

Prevention

P273 - Avoid release to the environment.
 P280 - Wear protective gloves/eye protection/face protection.

Response

P302+P352 - IF ON SKIN: Wash with plenty of water.
 P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P310 - Immediately call a POISON CENTER/doctor.

Disposal

P501 - Dispose of contents/container in accordance to local regulation.

Contains: Oleylamine ethoxylate-acetate ; Dimethylaminepropylamine, reaction products with castor oil, ethoxylated, quaternized with dimethylsulfate ; Amines, coco alkyl, ethoxylated ; Esterquat

2.3. Other hazards

The substance / mixture does NOT contain substances PBT/vPvB according to Regulation (EC) No 1907/2006, Annex XIII

The utilization of this chemical agent cause the obligation of "Risks Evaluation" from employer according to dispositions of Dlgs. April 9th 2008 no. 81. Workers exposed to this chemical agent do not have to be subjected to sanitary supervision if the results of risks evaluation show that, according to typology and quantity of chemical agent and according to method and frequency of exposure to that agent, we only have "moderate risk" for health and safety of workers and that measures foreseen by the Dlgs. are sufficient to reduce the risk.

SECTION3. Composition/information on ingredients

3.1 Substances

Irrilevant

3.2 Mixtures

Refer to paragraph 16 for full text of hazard statements.

NOTE: SUBSTANCES MARKED WITH (*) HAVE SPECIFIC LIMITS

Substance	Concentration	Classification	Index	CAS	EINECS	REACH
2-Butoxyethanol	> 10 <= 20%	Acute Tox. 4, H302; Acute Tox. 4, H312; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Acute Tox. 4, H332	603-014-00-0	111-76-2	203-905-0	01-2119475 108-36
Oleylamine ethoxylate-acetate	> 5 <= 10%	Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Dam. 1, H318; Aquatic Chronic 1, H410	n.d.	n.d.	932-883-1	n.d.
Esterquat	> 5 <= 10%	Skin Irrit. 2, H315; Eye Dam. 1, H318; Aquatic Chronic 3,	n.d.	1474044-71-7	939-685-4	01-2119983 493-26

NEOS FOAM WAX

Issued on 10/28/2019 - Rel. # 1 on 10/28/2019

3 / 11

In conformity to Regulation (EU) 2015/830

Substance	Concentration	Classification	Index	CAS	EINECS	REACH
		H412				
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	> 1 <= 5%	EUH066; Asp. Tox. 1, H304	n.d.	1174522-39-4	927-676-8	01-2119456 377-30
Fatty acids, C18 unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized	> 1 <= 5%	Skin Irrit. 2, H315; Eye Irrit. 2, H319	n.d.	94095-35-9	931-216-1	01-2119472 309-33
Amines, coco alkyl, ethoxylated	> 1 <= 5%	Acute Tox. 4, H302; Eye Dam. 1, H318; Aquatic Chronic 3, H412	n.d.	61791-14-8	n.d.	n.d.
Dimethylaminepropylamine, reaction products with castor oil, ethoxylated, quaternized with dimethylsulfate	> 1 <= 5%	Skin Sens. 1B, H317; Eye Dam. 1, H318	n.d.	784144-40-7	n.d.	n.d.
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	> 1 <= 5%	EUH066; Asp. Tox. 1, H304	n.d.	246538-78-3	920-901-0	01-2119456 810-40

SECTION 4. First aid measures

4.1. Description of first aid measures

Inhalation:

Air the area. Move immediately the contaminated patient from the area and keep him at rest in a well ventilated area. If you feel unwell seek for medical advice.

Direct contact with skin (of the pure product):

Take contaminated clothing immediately off.

Wash immediately with plenty of running water and possibly with soap, the areas of the body that have, or are only suspected to have, come in contact with the product.

In case of contact with skin, wash immediately with water.

Direct contact with eyes (of the pure product):

Wash immediately and thoroughly with running water, keeping eyelids open for at least 10 minutes, then protect your eyes with a dry sterile gauze. Seek medical advice immediately

Do not use eye drops or ointments of any kind before the examination or advice from an oculist.

Ingestion:

Rinse mouth with water. It's possible to give activated charcoal in water or liquid paraffin medicine.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

If skin irritation occurs: Get medical advice/attention.

Immediately call a POISON CENTER/doctor.

SECTION 5. Firefighting measures

5.1. Extinguishing media

Advised extinguishing agents:

Water spray, CO₂, foam, dry chemical, depending on the materials involved in the fire.

NEOS FOAM WAX

Issued on 10/28/2019 - Rel. # 1 on 10/28/2019

4 / 11

In conformity to Regulation (EU) 2015/830

Extinguishing means to avoid:

Water jets. Use water jets only to cool the surfaces of the containers exposed to fire.

5.2. Special hazards arising from the substance or mixture

No data available.

5.3. Advice for firefighters

Use protection for the breathing apparatus

Safety helmet and full protective suit.

The spray water can be used to protect the people involved in the extinction

You may also use selfrespirator, especially when working in confined and poorly ventilated area and if you use halogenated extinguishers (Halon 1211 fluobrene, Solkan 123, NAF, etc...)

Keep containers cool with water spray

SECTION6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1 For non-emergency personnel:

Leave the area surrounding the spill or release. Do not smoke

6.1.2 For emergency responders:

Wear mask, gloves and protective clothing.

Eliminate all unattended flames and possible sources of ignition. Do not smoke.

Provision of sufficient ventilation.

Evacuate the danger area and, in case, consult an expert.

6.2. Environmental precautions

Contain spill with earth or sand.

If the product has entered a watercourse in sewers or has contaminated soil or vegetation, notify it to the authorities.

Discharge the remains in compliance with the regulations

6.3. Methods and material for containment and cleaning up

6.3.1 For containment:

Rapidly recover the product, wear a mask and protective clothing

Recover the product for reuse, if possible, or for removal. Possibly absorb it with inert material.

Prevent it from entering the sewer system.

6.3.2 For cleaning up:

After wiping up, wash with water the area and materials involved

6.3.3 Other information:

None in particular.

6.4. Reference to other sections

Refer to paragraphs 8 and 13 for more information

SECTION7. Handling and storage

7.1. Precautions for safe handling

Avoid contact and inhalation of vapors

While working do not eat or drink.

NEOS FOAM WAX

Issued on 10/28/2019 - Rel. # 1 on 10/28/2019

5 / 11

In conformity to Regulation (EU) 2015/830

Contaminated work clothing should not be allowed out of the workplace.
See also paragraph 8 below.

7.2. Conditions for safe storage, including any incompatibilities

Keep in original container closed tightly. Do not store in open or unlabeled containers.
Keep containers upright and safe by avoiding the possibility of falls or collisions.
Store in a cool place, away from sources of heat.

7.3. Specific end use(s)

Professional use:

Handle with care. Store in a cool place, away from sources of heat. Keep in original container closed tightly.

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Related to contained substances:

2-Butoxyethanol:

TWA : 98 mg/m³ , 20 ppm (D.Lgs 81/08) (skin)

STEL : 246 mg/m³ , 50 ppm (D.Lgs 81/08) (skin)

DNEL

Systemic effects Long term Workers inhalation = 98 (mg/m³)

Systemic effects Long term Workers dermal = 125 (mg/kg bw/day)

Systemic effects Long term Consumers inhalation = 59 (mg/m³)

Systemic effects Long term Consumers dermal = 75 (mg/kg bw/day)

Systemic effects Long term Consumers oral = 6,3 (mg/kg bw/day)

Systemic effects Short term Workers inhalation = 1091 (mg/m³)

Systemic effects Short term Workers dermal = 89 (mg/kg bw/day)

Systemic effects Short term Consumers inhalation = 426 (mg/m³)

Systemic effects Short term Consumers dermal = 89 (mg/kg bw/day)

Systemic effects Short term Consumers oral = 26,7 (mg/kg bw/day)

Local effects Long term Consumers inhalation = 426 (mg/m³)

Local effects Short term Workers inhalation = 246 (mg/m³)

PNEC

Sweet water = 8,8 (mg/l)

sediment Sweet water = 34,6 (mg/kg/sediment)

Sea water = 0,88 (mg/l)

sediment Sea water = 3,46 (mg/kg/sediment)

intermittent emissions = 9,1 (mg/l)

STP = 463 (mg/l)

ground = 2,33 (mg/kg ground)

Esterquat

DNEL

Systemic effects Long term Workers inhalation = 8,72 (mg/m³)

Systemic effects Long term Workers dermal = 112,5 (mg/kg bw/day)

Systemic effects Long term Consumers inhalation = 2,17 (mg/m³)

Systemic effects Long term Consumers dermal = 56,25 (mg/kg bw/day)

Systemic effects Long term Consumers oral = 1,25 (mg/kg bw/day)

PNEC

Sweet water = 0,017 (mg/l)

sediment Sweet water = 1,7 (mg/kg/sediment)

Sea water = 0,02 (mg/l)

sediment Sea water = 0,17 (mg/kg/sediment)

STP = 10 (mg/l)

ground = 0,331 (mg/kg ground)

NEOS FOAM WAX

Issued on 10/28/2019 - Rel. # 1 on 10/28/2019

6 / 11

In conformity to Regulation (EU) 2015/830

Fatty acids, C18 unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized
PNEC

Sweet water = 0,065 (mg/l)

Sea water = 0,0065 (mg/l)

STP = 2,96 (mg/l)

8.2. Exposure controls



Appropriate engineering controls:

Professional use:

No specific control provided.

Individual protection measures:

(a) Eye / face protection

When handling the pure product use safety glasses (spectacles cage) (EN 166).

(b) Skin protection

(i) Hands protection

When handling the pure product use chemical resistant protective gloves (EN 374-1/EN374-2/EN374-3)

(ii) Other

Wear normal work clothing.

(c) Respiratory protection

Not needed for normal use.

(d) Thermal hazards

No hazard to report

Environmental exposure controls:

Use according to good working practices to avoid pollution into the environment.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical and chemical properties	Value	Determination method
Appearance	clear liquid	
Odour	characteristic	
Odour threshold	not determined	
pH	approx. 4	
Melting point/freezing point	not determined	
Initial boiling point and boiling range	approx. 100°C	
Flash point	non flammable	ASTM D92
Evaporation rate	not determined	
Flammability (solid, gas)	non flammable	
Upper/lower flammability or explosive limits	non flammable	
Vapour pressure	not determined	
Vapour density	not determined	

NEOS FOAM WAX

Issued on 10/28/2019 - Rel. # 1 on 10/28/2019

7 / 11

In conformity to Regulation (EU) 2015/830

Physical and chemical properties	Value	Determination method
Relative density	0,975 g/ml	
Solubility	in water	
Water solubility	complete	
Partition coefficient: n-octanol/water	not determined	
Auto-ignition temperature	irrelevant	
Decomposition temperature	irrelevant	
Viscosity	irrelevant	
Explosive properties	not explosive	
Oxidising properties	non-oxidizing	

9.2. Other information

No data available.

SECTION 10. Stability and reactivity

10.1. Reactivity

No reactivity hazard.

10.2. Chemical stability

The product is stable.

10.3. Possibility of hazardous reactions

There are no hazardous reactions

10.4. Conditions to avoid

Nothing to report

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

It does not decompose when used for intended uses.

SECTION 11. Toxicological information

11.1. Information on toxicological effects

ATE(mix) oral = 4.238,9 mg/kg

ATE(mix) dermal = 13.333,3 mg/kg

ATE(mix) inhal = 73,3 mg/l/4 h

(a) acute toxicity: based on available data, the classification criteria are not satisfied.

(b) skin corrosion/irritation: If brought into contact with the skin, the product causes significant inflammation with erythema, scabs, or edema.

(c) serious eye damage/irritation: If brought into contact with eyes, the product causes serious damages to eyes, such

NEOS FOAM WAX

Issued on 10/28/2019 - Rel. # 1 on 10/28/2019

8 / 11

In conformity to Regulation (EU) 2015/830

as an opaque cornea or injury to iris.

(d) respiratory or skin sensitization: The product, if brought into contact with skin can cause skin sensitization.

(e) germ cell mutagenicity: based on available data, the classification criteria are not satisfied.

(f) carcinogenicity: based on available data, the classification criteria are not satisfied.

(g) reproductive toxicity: 2-Butoxyethanol: NOAEL oral (rabbit): 720 mg/kg ; Fatty acids, C18 unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized: NOAEL oral (rat): 1000 mg/kg

(h) specific target organ toxicity (STOT) single exposure: based on available data, the classification criteria are not satisfied.

(i) specific target organ toxicity (STOT) repeated exposure: 2-Butoxyethanol: NOAEL oral (rat male): <69 mg/kg (90d); NOAEL oral (rat female): < 82 mg/kg (90d); NOAEL dermal (rabbit): > 150 mg/kg (90d); LOAEL inhalation (rat): 150 mg/m³ ; Esterquat: NOEL oral (rat): 500 mg/kg

(j) aspiration hazard: based on available data, the classification criteria are not satisfied.

Related to contained substances:

2-Butoxyethanol:

LD50 (rat) Oral (mg/kg body weight) = 1746

LD50 Dermal (rat or rabbit) (mg/kg body weight) = 2000

Esterquat:

LD50 (rat) Oral (mg/kg body weight) = 2000

LD50 Dermal (rat or rabbit) (mg/kg body weight) = 2000

Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics:

LD50 (rat) Oral (mg/kg body weight) = 5000

LD50 Dermal (rat or rabbit) (mg/kg body weight) = 3160

CL50 Inhalation (rat) vapour/dust/mist/fume (mg/l/4h) or gas (ppmV/4h) = 5

Fatty acids, C18 unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized:

LD50 (rat) Oral (mg/kg body weight) = 2000

LD50 Dermal (rat or rabbit) (mg/kg body weight) = 2000

Amines, coco alkyl, ethoxylated:

LD50 (rat) Oral (mg/kg body weight) = 500

Hydrocarbons, C11-C13, isoalkanes, <2% aromatics:

LD50 (rat) Oral (mg/kg body weight) = 5000

LD50 Dermal (rat or rabbit) (mg/kg body weight) = 5000

CL50 Inhalation (rat) vapour/dust/mist/fume (mg/l/4h) or gas (ppmV/4h) = 5

SECTION 12. Ecological information

12.1. Toxicity

Related to contained substances:

2-Butoxyethanol:

LC50 (fish) : 1474 mg/l (96h)

NOEC (fish) : > 100 mg/l (21d)

EC50 (daphnia) : > 1500 mg/l (48h)

NOEC (daphnia) : > 100 mg/l (21d)

EC50 (algae) : 911 mg/l (72h) (biomass)

Esterquat:

LC50 (fish): > 10 mg/l (96h)

EC50 (daphnia): > 8.6 mg/l (48h)

EC50 (algae): 1,2 mg/l (72h)

CE50 (microorganisms): 100 mg/l (6d)

NEOS FOAM WAX

Issued on 10/28/2019 - Rel. # 1 on 10/28/2019

9 / 11

In conformity to Regulation (EU) 2015/830

Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics:

LC50 (fish): > 88444 mg/l (96h)
 EC50 (daphnia): > 10000 mg/l (96h)
 EC50 (algae): > 1000 mg/l (72h)

Fatty acids, C18 unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized:

EC50 (fish): 1.91 mg/l (96h)
 EC50 (daphnia): 2.23 mg/l (48h)
 EC50 (algae): 2.14 mg/l (72h)

Amines, coco alkyl, ethoxylated:

LC50 (fish): > 10-100 mg/l (96h)
 EC50 (daphnia): > 10-100 mg/l (48h)

Hydrocarbons, C11-C13, isoalkanes, <2% aromatics:

LC50 (fish): > 1000 mg/l (48h)
 EC50 (daphnia): > 1000 mg/l (48h)
 NOEC (daphnia): 1 mg/l (21d)
 EC50 (algae): > 1000 mg/l (72h)

The product is dangerous for the environment as it is toxic to aquatic organisms following acute exposure.

Use according to good working practices to avoid pollution into the environment.

12.2. Persistence and degradability

Related to contained substances:

2-Butoxyethanol:

Biodegradability: 90.4 (28d) (OECD Guideline 301 B)
 Ready Biodegradability.

Esterquat:

Biodegradability: > 60% (OECD TG 301F)
 Rapidly biodegradable.

Fatty acids, C18 unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized:

Biodegradability: 60% (> 28d)

12.3. Bioaccumulative potential

Related to contained substances:

Amines, coco alkyl, ethoxylated:

COD: 2100 mg O2/g

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

The substance / mixture does NOT contain substances PBT/vPvB according to Regulation (EC) No 1907/2006, Annex XIII

12.6. Other adverse effects

No adverse effects

NEOS FOAM WAX

Issued on 10/28/2019 - Rel. # 1 on 10/28/2019

10 / 11

In conformity to Regulation (EU) 2015/830

SECTION 13. Disposal considerations

13.1. Waste treatment methods


Do not reuse empty containers. Dispose of them in accordance with the regulations in force. Any remaining product should be disposed of according to applicable regulations by addressing to authorized companies.

Recover if possible. Send to authorized discharge plants or for incineration under controlled conditions. Operate according to local and National rules in force

SECTION 14. Transport information

14.1. UN number

ADR/RID/IMDG/ICAO-IATA: 3082



If subject to the following characteristics is ADR exempt:

Combination packagings: per inner packaging 5 L per package 30 Kg

Inner packagings placed in skrink-wrapped or stretch-wrapped trays: per inner packaging 5 L per package 20 Kg

14.2. UN proper shipping name

ADR/RID/IMDG: MATERIA PERICOLOSA PER L'AMBIENTE, LIQUIDA, N.A.S. (Oleilamine etossilate-acetate ; Ammine, coco alchil, etossilate)

ADR/RID/IMDG: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Oleylamine ethoxylate-acetate ; Amines, coco alkyl, ethoxylated)

ICAO-IATA: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Oleylamine ethoxylate-acetate ; Amines, coco alkyl, ethoxylated)

14.3. Transport hazard class(es)

ADR/RID/IMDG/ICAO-IATA: Class : 9

ADR/RID/IMDG/ICAO-IATA: Label : 9+Ambiente

ADR: Tunnel restriction code : --

ADR/RID/IMDG/ICAO-IATA: Limited quantities : 5 L

IMDG - EmS : F-A, S-F

14.4. Packing group

ADR/RID/IMDG/ICAO-IATA: III

14.5. Environmental hazards

ADR/RID/ICAO-IATA: Product is environmentally hazardous

IMDG: Marine polluting agent : Yes

14.6. Special precautions for user

Transport must be executed through vehicles authorized for transport of dangerous goods, according to regulations of current edition of agreement A.D.R. and to national dispositions applicable.

Transport must be done in original packaging and, however, they must be made of materials unassailable by the content and not able to create dangerous reactions. Staff assigned to loading and unloading of dangerous goods must be well educated to hazards of the product and procedures to be adopted in case of emergency situation.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

It is not intended to carry bulk

NEOS FOAM WAX

Issued on 10/28/2019 - Rel. # 1 on 10/28/2019

11 / 11

In conformity to Regulation (EU) 2015/830

SECTION15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

D.Lgs. 3/2/1997 n. 52 (Classification, packaging and labelling of dangerous substances). D.Lgs 14/3/2003 n. 65 (Classification, packaging and labelling of dangerous preparations). D.Lgs. 2/2/2002 n. 25 (Risks derivated from chemical agents during work). D.M. Labour 26/02/2004 (Limits for professional exposurei). D.M. 03/04/2007 (Fulfillment of EU regulation 2006/8). EU Regulation n. 1907/2006 (REACH), Regulation (CE) n. 1272/2008 (CLP). Regulation (CE) n.790/2009.D.Lgs. 21/09/2005 n. 238 (Direttiva Seveso Ter). Seveso category: E2 - ENVIRONMENTAL HAZARDS

15.2. Chemical safety assessment

No chemical safety assessment was carried out by the supplier

SECTION16. Other information

16.1. Other information

Description of the hazard statements exposed to point 3

- H302 = Harmful if swallowed.
- H312 = Harmful in contact with skin.
- H315 = Causes skin irritation.
- H319 = Causes serious eye irritation.
- H332 = Harmful if inhaled.
- H318 = Causes serious eye damage.
- H410 = Very toxic to aquatic life with long lasting effects.
- H412 = Harmful to aquatic life with long lasting effects.
- H304 = May be fatal if swallowed and enters airways.
- H317 = May cause an allergic skin reaction.

Classification based on data of all mixture components

Main regulatory references:

- EC Regulation 1907/2006 of the European Parliament (REACH) and subsequent updates
- EC Regulation 1272/2008 of the European Parliament (CLP) and subsequent updates
- EC Regulation 830/2015 of the European Parliament and subsequent updates
- EC Regulation 648/2004 of the European Parliament and subsequent updates

The data contained in the present Safety Information Sheet is based on our current knowledge and provides information regarding the safe management and handling of the product. The present document is not a Certificate of Analysis, nor a technical information sheet, nor does it constitute an agreement regarding the specifications of the product.

***This data sheet annuls and substitutes each previous version.